

Branching stochastic processes as models of Covid-19 epidemic development

Kyrgyzstan - week 53

N. Yanev, V. Stoimenova, D. Atanasov

Branching stochastic processes as models of Covid-19 epidemic development : Kyrgyzstan - week 53

Abstract

The results presented here are obtained using the methodology proposed in the paper <https://arxiv.org/abs/2004.14838> for the country Kyrgyzstan. The data comes from European Centre for Disease Prevention and Control available at <https://opendata.ecdc.europa.eu/covid19/casedistribution/csv>.

Table of Contents

1. Observed Infection data	1
2. Estimating of the main parameter and some predictions	3

List of Figures

1.1. Number of the weekly reported laboratory-confirmed cases	1
1.2. Number of the total registered cases	2
2.1. The Lotka-Nagaev and the Harris type estimator of the growth rate	3
2.2. Figure	4
2.3. Expected number of the nonregistered infected individuals without immigration	5
2.4. Expected number of the nonregistered infected individuals with immigration	6

Chapter 1. Observed Infection data

Figure 1.1. Number of the weekly reported laboratory-confirmed cases





Figure 1.2. Number of the total registered cases



Chapter 2. Estimating of the main parameter and some predictions

Figure 2.1. The Lotka-Nagaev and the Harris type estimator of the growth rate




Figure 2.2. Figure




Figure 2.3. Expected number of the nonregistered infected individuals without immigration





Figure 2.4. Expected number of the nonregistered infected individuals with immigration



Estimation of the model parameters.

k	m	ci	alpha	A1	M1
4	0.9944	0.8660 - 1.1229	0.2866	1142	1220
3	0.9943	0.8675 - 1.1210	0.2632	1123	1199
2	0.9937	0.8685 - 1.1189	0.2473	1108	1183
1	1.0025	0.8788 - 1.1263	0.2378	1096	1171
0	1.0025	0.8802 - 1.1249	0.2057	1073	1146